

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1411508	multiple biometric\$3 same sample\$3 and @ad<"20000928"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/31 10:49
L3	34	multiple with biometric\$3 same sample\$3 and @ad<"20000928"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/31 10:59
L4	17	notify with user with access with attempt and @ad<"20000928"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/31 11:04
L5	1	notify with user with (illegal inappropriate) with attempt and @ad<"20000928"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/31 11:14
L6	5	email with user with access with attempt and @ad<"20000928"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/31 11:15
L7	18	email with user same access with attempt and @ad<"20000928"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/31 11:18
L8	31	notify with user same access with attempt and @ad<"20000928" not l4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/31 11:21
L9	3	page adj3 user same access adj3 attempt and @ad<"20000928" not l4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/31 11:22
L10	0	(notify or email or page or tell) adj3 user same (illegal or illicit or hack\$4) same access adj3 attempt and @ad<"20000928" not l4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/31 11:23
L11	0	(notify or email or page or tell) adj3 user same (multiple) same access adj3 attempt and @ad<"20000928" not l4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/31 11:24
L12	222	(notify or email or page or tell) adj3 user same (multiple) same access and @ad<"20000928" not l4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/31 11:24

EAST Search History

L13	69	(notify or email or page or tell) adj3 user same (multiple) with access and @ad<"20000928" not l4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/31 11:27
L14	506	notify adj3 user same access and @ad<"20000928" not l4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/31 11:38
L15	244	message with user same access with attempt and @ad<"20000928" not l4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/31 11:57
L16	0	biometric with (store or save) same innaproprate and @ad<"20000928" not l4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/31 12:00
L17	0	biometric with (store or save) same innaproprate and @ad<"20000928" not l4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/31 12:00
L18	0	biometric with (store or save) same illegal and @ad<"20000928" not l4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/31 12:00
L19	50	biometric with (store or save) same access and @ad<"20000928" not l4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/31 12:06
L20	3	biometric with (store or save) same access same log and @ad<"20000928" not l4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/31 12:18
L21	195	message same fraud\$5 same access and @ad<"20000928" not l4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/31 12:23
L22	70	message same fraud\$5 with access and @ad<"20000928" not l4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/31 12:24
L23	14	user with message same fraud\$5 with access and @ad<"20000928" not l4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/31 12:24
S1	332	metadata with request with information and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 14:50

EAST Search History

S2	18	image same metadata with request with information and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 15:37
S3	1197	user with profile same delivery and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 15:37
S4	586	user with profile with delivery and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 19:14
S5	37	user with profile with delivery same email and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 15:40
S6	24	user adj3 profile with delivery same email and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 15:41
S7	0	user adj3 profile with preferred adj3 delivery and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 15:41
S8	0	user adj3 profile with preferred adj3 delivery and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 15:41
S9	0	user adj3 profile with preferred adj3 delivery and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 15:41
S10	0	user adj3 profile with preferred adj3 delivery and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 15:41
S11	0	user adj3 profile with preferred adj3 deliver\$3 and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 15:42
S12	0	user adj3 profile with preferred adj3 deliver\$3 and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 15:42
S13	13	user adj3 profile with deliver\$3 adj3 method and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 16:12

EAST Search History

S14	1	user adj3 profile with deliver\$3 adj3 method same email and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 16:12
S15	31	user adj3 profile with deliver\$3 same email and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 16:19
S16	157	watermark same limit\$3 same distribut\$5 and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 17:02
S17	2	assign\$4 same image same metadata same access same (receiver or role) and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 17:03
S18	30	assign\$4 same image same metadata same access same (receiver or role or user) and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 17:06
S19	103	image with metadata same access same (receiver or role or user) and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 17:07
S20	11	image with include with metadata same access same (receiver or role or user) and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 17:46
S21	2111	encrypt\$5 same key with password and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 17:46
S22	1711	encrypt\$5 with key with password and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 17:47
S23	756	encrypt\$5 with key adj4 password and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 17:48
S24	0	provide adj3 password adj3 decrypt and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 17:48
S25	227	password adj3 decrypt and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 18:05

EAST Search History

S26	0	limit\$3 with use with image with sent and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 18:05
S27	13	watermark same user adj profile and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 19:09
S28	6	DRM same user adj profile and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 18:23
S29	353	copies same user adj profile and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 18:23
S30	26	limit\$3 same copies same user adj profile and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 18:24
S31	4	limit\$3 with cop\$3 same user adj profile and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 18:25
S32	179	limit\$3 with cop\$3 same profile and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 18:25
S33	21	drm same profile and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 18:25
S34	13050088	user with metadata with preferen\$4 with jpg with bmpand @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 19:09
S35	0	user with metadata with preferen\$4 with jpg with bmp and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 19:10
S36	0	user with metadata with preferen\$4 with format adj2 image and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 19:10
S37	14	user with preferen\$4 with format adj2 image and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 19:14

EAST Search History

S38	0	metadata with format with according adj4 user and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 19:15
S39	0	file adj3 format with according adj4 user and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 19:15
S40	0	file adj3 format same according adj4 user and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 19:15
S41	0	format same according adj4 user and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 19:15
S42	35553	format with user and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 19:21
S43	698	preference with format with user and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 19:15
S44	11	metadata same preference with format with user and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 19:17
S45	3	jpg same preference with format with user and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 19:18
S46	62	jpg with format with user and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 19:18
S47	1542	access with subtract\$6 and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 19:21
S48	2	access with subtract\$6 same metadata and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 19:22
S49	0	access with subtractive with combination same metadata and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 19:22

EAST Search History

S50	0	subtractive with combination same metadata and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 19:22
S51	1027	subtractive with combination and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 19:22
S52	0	subtractive with combination same privileges and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 19:22
S53	2	subtractive with combination same attributes and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 19:29
S54	2109856	combine\$3 access and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 19:30
S55	9995	combine\$3 with access and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 19:30
S56	1402	combine\$3 adj3 access and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 19:30
S57	14	combine\$3 adj3 access with privileges and @ad<"20021220"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/29 19:42
S58	2	((("20020088000") or ("20020001395")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/30 10:19
S59	1	("5944821").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/30 12:58
S60	12	"6035403"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/30 12:58
S61	2	((("6035403") or ("5229764")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/30 13:04

EAST Search History

S62	112	software adj interface with operating adj system same application and @ad<"20000928"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/30 16:20
S63	14	biometric\$3 same baseline and @ad<"20000928"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/30 16:22
S64	219	biometric\$3 same samples and @ad<"20000928"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/30 16:23
S65	46	biometric\$3 same sample\$3 same compare and @ad<"20000928"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/31 10:49